A Retrospective on The COVID Phenomenon







Acts 19:32 ... everything was in confusion ... Acts 17:11 ... be a good Berean ... 1 Th. 5:21 ... but test all things ...

<u>2 Tim. 1:7</u> ... a spirit not of fear ...

Heinz Lycklama PhD in Physics heinz@osta.com 425-501-5075

HeinzLycklama.com/vaccines2





A Retrospective on the COVID Phenomenon

- 1. The Coronavirus Pandemic Looking Back
 - Tests, Masks, Cases, Deaths, Vaccines, Adverse Effects, Lockdowns
 - Medical Players: Organizations, Scientists, Doctors, Analysts
- 2. Senator Ron Johnson Hearing Held on December 7, 2022
 - V-Safe and VAERS Analysis, Vaccine Warning Signals
- 3. Recent VAERS Data
- 4. Pregnancies, Miscarriages, Still births
- 5. Sudden Adult Death Syndrome
- 6. Excess Death Phenomenon
- 7. US Economic Impacts
- 8. Concerns About Covid-19 Vaccines
- 9. Early Treatment with Therapeutics
- 10. Conclusions



1. The Coronavirus Pandemic: Looking Back

- The origin of the coronavirus (SARS-2)?
- December 2019 first cases in Wuhan China
- January 2020 first cases in the USA
- March 2020 lockdown for "2 weeks"
- March 2020 Dr. Zelenko saves lives using HCQ
- April 2020 Warpspeed vaccine project initiated
- Cases and deaths climb worldwide
- December 2020 Pfizer vaccine for EUA approved
- January 20, 2021 King Fauci is in charge
- V-Safe and VAERS reporting data collection
- April 2023 New bivalent booster



Detecting the SARS-CoV-2* virus BY POLYMERASE CHAIN REACTION (PCR) *The virus that causes COVID-19

AMPLIFICATION

This technique involves the amplification** of specific DNA fragments. Only a single DNA frament is needed to generate **millions, even billions,** copies



THERMAL CYCLING

A thermal cycler like this, commonly used in a lab to facilitate temperature-sensitive reactions, helps amplify segments of DNA, by increasing and decreasing temperature to specific levels.



TUBES WITH SAMPLES



The tubes with samples are then placed in the device (similar to the one above) to start the reaction.

A sample consists the following 'ingredients':

•	10x PCR buffer	 Taq DNA polymerase
•	2nm dNTP mix	 25nM MgCl2
•	Primer 1	 Template DNA
•	Primer 2	

**DNA amplification: The production of multiple (millions to billions) copies of a sequence of DNA. The Polymerase Chain Reaction (PCR) Test Anyone can test positive for practically anything with a PCR test, if you run it long enough...with PCR if you do it well, you can find almost anything in anybody...it doesn't tell you that you're sick."

-Dr. Kary Mullis, PhD, creator of the PCR test.



Do Masks Work?





Mask Usage vs. Daily Positive Tests

Mask Usage vs. Daily Positive Tests



Sources: YouGov.com, covidtracking.com



COVID-19

Infection

Survival

Rate

Ву

Age Group COVID Infection Survival Rates by Sex and Age Group (Age-specific seroprevalence data from 8 serostudies plotted at the age group mid-points.)

	_	-					
Age	٠	Male	٠	Female	٠	Mean	٠
0 to 4		99.997	7%	99.997	7%	99.99	7%
5 to 9		99.999	9%	99.999	9%	99.999	9%
10 to 14		99.999	9%	99.999	9%	99.999	9%
15 to 19		99.99	7%	99.998	3%	99.99	7%
20 to 24		99.992	2%	99.995	5%	99.994	4%
25 to 29		99.98	3%	99.991	1%	99.98	7%
30 to 34		99.967	7%	99.985	5%	99.97	5%
35 to 39		99.944	1%	99.975	5%	99.960	0%
40 to 44		99.894	1%	99.956	5%	99.92	5%
45 to 49		99.832	2%	99.928	3%	99.879	9%
50 to 54		99.709	9%	99.877	7%	99.79	3%
55 to 59		99.552	2%	99.803	3%	99.67	7%
60 to 64		99.405	5%	99.682	2%	99.544	4%
65 to 69		98.548	3%	99.302	2%	98.92	5%
70 to 74		97.693	3%	98.958	3%	98.320	5%
75 to 79		95.740	0%	97.855	5%	96.79	7%
80+		89.17	5%	94.24	1%	91.70	8%

7





Some Experimental Covid-19 Vaccine Facts

- Efficacy rates of 90%+?, reduced over time
- Minimize symptoms of Covid-19
- Does not stop reinfection or transmission of Covid-19
- Uses new mRNA technology
- Not safety tested on animals
- No long term testing on humans
- Clinical trials incomplete



- Very significant number of deaths and injuries
- Vaccine manufacturers not liable for death or injury
- Infection with Covid-19 \rightarrow Natural Immunity
- Effective and safe therapeutics are available

FDA Safety Surveillance of COVID-19 Vaccines : <u>DRAFT</u> Working list of possible adverse event outcomes ***Subject to change***

- Guillain-Barré syndrome
- Acute disseminated encephalomyelitis
- Transverse myelitis
- Encephalitis/myelitis/encephalomyelitis/ meningoencephalitis/meningitis/ encepholapathy
- Convulsions/seizures
- Stroke
- Narcolepsy and cataplexy
- Anaphylaxis
- Acute myocardial infarction
- Myocarditis/pericarditis
- Autoimmune disease

- Deaths
- Pregnancy and birth outcomes
- Other acute demyelinating diseases
- Non-anaphylactic allergic reactions
- Thrombocytopenia
- Disseminated intravascular coagulation
- Venous thromboembolism
- Arthritis and arthralgia/joint pain
- Kawasaki disease
- Multisystem Inflammatory Syndrome in Children
- Vaccine enhanced disease



Lockdown Impacts

- Lockdown mandates
- PCR testing 90% false positives
- Vaccine & Mask mandates
- Schools closed
- Small businesses closed
- Big Govt, Pharma, Medical, Box stores, Media
 - Censorship of "mis/disinformation"
- Economic results:
 - Many small businesses went bankrupt
 - \$16T printed
 - \$4T transferred from middle class to the elite



Medical & International Organizations

- WHO World Health Organization
- FDA Food and Drug Administration
- CDC Centers for Disease Control and Prevention
- NIH National Institutes of Health
- NIAID National Institute of Allergy and Infectious Diseases
- AMA American Medical Association
- AAPS Association of American Physicians and Surgeons
- AFLDS America's Frontline Doctors
- WEF World Economic Forum, the International organization for Public-Private Cooperation
- Gates Foundation Nonprofit fighting poverty, disease, and inequity around the world



Prominent Medical Scientists

- Dr. Michael Yeadon, Former VP of Pfizer Pharmaceuticals
- Dr. Robert Malone, Inventor of mRNA technology platform
- Dr. Geert vanden Bossche, PhD in Virology
- Dr. Luc Montagnier, Virologist, Recipient of Nobel Prize in medicine
- Dr. Harvey Risch, Yale Epidemiologist
- Dr. Jay Bhattacharya, Epidemiologist at Stanford University
- Dr. Martin Kulldorff, Harvard Professor and Epidemiologist
- Dr. Hooman Noorchashm, Immunologist
- Dr. Byram Bridle, Viral Immunologist at University of Guelph
- Dr. Sucharit Bhakdi, Microbiologist in Germany
- Dr. Scott Atlas, Stanford Professor and Public Health Policy Expert
- Dr. Anders Tegnell, Chief Epidemiologist of Sweden





Notable Experienced Doctors

- Dr. Vladimir Zelenko, early treatment with Hydroxychloroquine (HCQ)
- Dr. Peter McCullough, cardiologist, epidemiologist, professor HCQ
- Dr. Pierre Kory, critical care physician early treatment with Ivermectin
- Dr. Simone Gold, Founder of Frontline Doctors Online HCQ
- Dr. Joseph Mercola, alternative medicine proponent, newsletter, 25+ yrs
- Dr. Rand Paul, physician and Senator from Kentucky
- Dr. Ryan Cole, pathologist and medical diagnostician
- Dr. Bryan Ardis, outspoken critic of hospital protocols
- Dr. Peter Weiss, evidence-based Medicine
- Dr. Paul Alexander, epidemiologist and health researcher
- Dr. Byram Bridle (immunologist), spike protein is a toxin & travels
- Dr. Joel Hirschhorn, U. of Wisconsin professor of health



Data/Statistical Analysts

- Steve Kirsch
 - Degrees in computer science
 - American high tech entrepreneur
 - Founder COVID-19 Early Treatment Fund
 - Vaccine Safety Research Foundation
 - Philanthropist, environmentalist
 - Edward Dowd
 - Equity investment executive
 - Skilled data analyst
 - Blackrock fund manager
 - Founder Phinance Technologies
 - **Cause Unknown**: Epidemic of Sudden death in 2021/22





15



2. Senator Ron Johnson Hearing on 12/7/22

- Covid-19 vaccines, what, how, causes of injury
- VAERS database numbers at the time
 - Objectives, vaccine deaths reporting
 - Vaccine adverse effect comparison
- V-Safe system on smart phone
 - Objectives and symptoms checked



- Breakdown of symptoms and care required
- Excess deaths highlighted by Edward Dowd
- UK gov't data shows vaccinated have higher mortality
- All illness and injury across the DOD
- Covid vaccine concerns by medical scientists/doctors ¹⁶



CASES, DEATHS, VACCINATION



17

VAERS Covid Vaccine Adverse Event Reports





BEFORE AND AFTER THE INTRODUCTION OF THE COVID VACCINE-US TOTAL

	1990-2020	Per Year	2021-2022	Per Year	% Increase/Year
Reports of Death	4,900	163	15,976	7,988	4800%
Hospitalizations	37,341	1,245	73,897	36,949	2876%
Permanent Disability	11,791	393	16,907	8,453	2050%
Life Threatening	9,530	318	14,041	7,020	2108%

DRUG ADVERSE EVENT COMPARISON

FDA AND CDC DATA: WORLDWIDE

	Adverse events	Deaths	Deaths/year
1/1/1996 - 9/30/2022:			
Ivermectin	4,087	420	16
HCQ	27,144	2,018	75
Flu vaccines	199,494	2,049	77
Dexamethasone	97,207	18,194	680
Tylenol	123,980	28,507	1,066
Since 2020: Remdesivir	8,283	2,014	732
In 23 months: Covid vaccines	,471,557	32,508	17,109



IOHNSON



VAERS SAFETY COMPARISON COVID-19 VS. FLU VACCINES

	total adverse event	avg. per ts year	total deaths	avg. per year	
Over 25.75 years: Flu vaccines	194,436	7,551	1,999	78	
Over 10 months:					
Covid-19 vaccines		837,595		17,619	
		111 x		226 x	

CDC VAERS system. Reports from all locations worldwide. Data as of Oct. 22, 2021; downloaded Oct. 29, 2021.

OHNSON

Average Annual Adverse Events by Symptom for Covid-19 Vaccines as a Multiple of All Other Vaccines Combined since 1990

(Data from VAERS through 11/04/22)



22



V-Safe System On Cell Phone







Symptom Check

Since your COVID-19 Vaccination, have you had any of these symptoms at or near the injection site? Select all that apply,

Pain Redness

Swelling Itching

None

Have you experienced any of these symptoms today? Select all that apply.

Chills

Headache

Joint pains

Muscle or body aches

Fatigue or tiredness

Nausea

Vomiting

Diarrhea

Abdominal pain

Rash, not including the immediate area around the injection site

None

Any other symptoms or health conditions you want to report



Attachment 2: Adverse Events of Special Interest

Prespecified Medical Conditions
Acute myocardial infarction
Anaphylaxis
Coagulopathy
COVID-19 Disease
Death*
Guillain-Barré syndrome
Kawasaki disease
Multisystem Inflammatory Syndrome in children ¹
Multisystem Inflammatory Syndrome in adults ²
Myocarditis/Pericarditis
Narcolepsy/Cataplexy
Pregnancy and Prespecified Conditions
Seizures/Convulsions
Stroke
Transverse Myelitis
* Capture of deaths through v-safe will be limited



Health Impact

Did any of the symptoms or health conditions you reported TODAY c you to: *

Select all that apply.

Be unable to work

Be unable to do your normal daily activities

Get care from a doctor or other healthcare professional None of the above

What type of healthcare visit did you have?

Telehealth, virtual health, or email health consultation Outpatient clinic or urgent care clinic visit Emergency room or emergency department visit Hospitalization

Other, please describe



85%



V-safe Covid Vaccine Symptoms

(Official CDC Data)

1.41 Symptom(s): 1 Individual

71,299,666 Symptoms Reported







Percent of v-safe users 3 years and older reporting seeking medical care after first dose of Pfizer covid vaccine in succeeding time intervals:

Time Interval	Percentage Reported Seeking Medical Care
Days 1 to 7	.32%
Days 8 to 14	.67%
Days 15 to 21	1.06%
Days 22 to 28	2.88%
Days 29 to 35	4.96%
Days 36 to 42	6.93%



Evidence Of The Crime, Great Fraud by Edward Dowd, Entrepreneur and Data Analyst

SOURCE DATA: SOCIETY OF ACTUARIES (SOA) 2021 Group Life Insurance Survey

The much healthier group life insured population (25-64) experienced a higher excess all-cause mortality rate of 40% versus the overall US rate of 31.7% in 2021.

This is a stunning 8% difference.

- Mortality of this population is about one third the rate of the overall US population in any given year according to Society of Actuaries (SOA).
- Group life millennials experienced an event in Q3 of 2021 with 84% excess mortality that happened to coincide with vaccine mandates.

Table 5.7

EXCESS MORTALITY BY DETAILED AGE BAND

	Age	Q2 2020	Q3 2020	Q4	Q1	Q2	Q3	Q4	Q1	4/20-	%	% Non-	%
		2020	2020	2020	2021	2021	2021	2021	2022	3/22	COVID	COVID	Count
	0-24	116%	124%	104%	101%	119%	127%	110%	91%	111%	3.3%	8.1%	2%
S	25-34	127%	132%	121%	118%	131%	178%	131%	125%	133%	13.3%	19.6%	2%
	35-44	123%	134%	128%	129%	133%	200%	156%	136%	142%	23.1%	19.2%	4%
	45-54	123%	127%	129%	133%	119%	180%	151%	143%	138%	27.4%	10.8%	9%
	55-64	117%	123%	130%	130%	114%	153%	141%	137%	131%	24.0%	6.7%	18%
	65-74	117%	115%	133%	130%	108%	131%	125%	122%	122%	18.6%	3.9%	17%
	75-84	114%	114%	133%	123%	106%	119%	121%	121%	119%	14.0%	4.6%	20%
	85+	112%	103%	124%	111%	92%	104%	105%	103%	107%	10.3%	-3.5%	27%
	All ¹¹	116%	115%	129%	123%	107%	134%	126%	122%	121%	17.1%	4.3%	100%

Disability Rate Increase For Employed Versus Total Population Since May 2021 Is Counter Intuitive Unless Mandates & Vaccines are Considered!

SOURCE DATA: US BUREAU OF LABOR STATISTICS

- We observed that the rise in disability rates post 5/2021 is stronger in individuals who are employed and in the labor force than the general population.
- For the labor force and employed individuals, the absolute numbers of the increase in disabled individuals aged 16 to 64, amounted to about 1.2 million from the 5/2021 to 9/2022.
- For the general population aged 16-64, the absolute numbers of the increase in disabled individuals amounted to about 1.6 million from the 5/2021 to 9/2022.

Being employed was detrimental to your health in 2021 & 2022





UK Gov't Data: Vaccinated Higher Mortality

U.K. gov't data shows that their vaccinated now suffer higher mortality

Age stratified analysis shows UK vax'd +26% worse mortality

Vax'd under 50 show +49% worse mortality

Partially vax'd show up to +145% worse mortality





All Illness and Injury Across The DOD

All Illness and Injury Across the DoD 2016-Dec 6, 2022 REPORTABLE EVENTS





Risk of Covid-19 Climbs a Lot With Age

The risk of Covid-19 climbs a lot with age

Share of reported coronavirus infections in the US that led to deaths, by age

0-17	
0.01%	
18-29	
0.05%	
30-39	
0.15%	
40-49	
0.40%	
50-64	
1.39%	
65-74	
5.07%	
75-84	
12.30%	
85+	
24.69%	

*Data includes all Covid-19 cases and deaths in the US from January 2020 to September 2021.

Source: Centers for Disease Control and Prevention


COVID-19 Vaccine Concerns

- Denmark (50+), UK (12+), other limitations on use
- Spike protein travels to body organs, long life of spike
- Toxicology (Cole, Lindsay)
- Lack of autopsies (Cole)
- Mortality rate with age (Risch)
- Early treatment with therapeutics (Kory, Marik)
- Vaccines unsafe and ineffective (McCullough)
- Gene transfer studies (Malone)
- No independent monitoring in clinical trials
- No pregnancy clinical trials
- Skipped human testing for vaccines
- Consistency of vaccine batches
- More doses result in more deaths



3. Recent VAERS Data for COVID-19

- VAERS vaccine data, Dec. 9, 2022
- All deaths reported for vaccines per year
- Vaccine deaths by days to onset (and by dose)
- European vaccine adverse reactions
- Covid-19 vaccines are deadlier than Covid-19 itself
- Myocarditis risks are high
- Risk/benefit trade-off
- Impact on major organs heart, brain, liver, other organs
- More doses \rightarrow higher risk of hospitalizations, ICU, death
- Vaccine safety signals ignored by CDC
- Funeral directors seeing excess deaths of young



Reports from the Vaccine Adverse Events Reporting System. Our default data reflects all VAERS data including the "nondomestic" reports. 👩

As of 11-18-2022 VAERS has stopped putting free text field information in the public data for Europe/UK.

All VAERS COVID Reports O US/Territories/Unknown

1,481,226 Reports Through December 09, 2022 🧕



https://www.openvaers.com/covid-data

VAERS **`()**∖ Vaccine Data



VAERS Report – December 9, 2022

- 32,828 DEATHS
- 186,098 HOSPITALIZATIONS
- 141,417 URGENT CARE
- 216,621 DOCTOR OFFICE VISITS
- 10,240 ANAPHYLAXIS
- 16,481 BELL'S PALSY
- 4,623 Miscarriages
- 15,801 Heart Attacks
- 35,820 Myocarditis/Pericarditis
- 61,065 Permanently Disabled
- 8,301 Thrombocytopenia/Low Platelet
- 35,425 Life Threatening
- 41,785 Severe Allergic Reaction
- 15,200 Shingles

VAERS COVID Vaccine Adverse Event Reports

https://openvaers.com/covid-data

1,481,226 Reports

Search Results

From the 12/9/2022 release of VAERS data:

Found 1,481,226 cases where Vaccine is COVID19 or COVID19-2

Government Disclaimer on use of this data

Table

↓	· ↑↓	↑ ↓		
Event Outcome	Count	Percent		
Death	32,828	2.22%		
Permanent Disability	61,065	4.12%		
Office Visit	216,621	14.62%		
Emergency Room	124	0.01%		
Emergency Doctor/Room	141,293	9.54%		
Hospitalized	185,629	12.53%		
Hospitalized, Prolonged	469	0.03%		
Recovered	376,398	25.41%		
Birth Defect	1,194	0.08%		
Life Threatening	35,425	2.39%		
Not Serious	701,860	47.38%		
TOTAL	+ 1,752,906	+ 118.34%		

found), and the Total Percent is greater than 100.

41







VAERS COVID Vaccine Reported Deaths by Days to Onset All Ages By Dose

VAERS COVID Vaccine Reported Deaths by Days to Onset All Ages by Dose







Neurological Diagnoses from the COVID-19 Vaccine versus Common Vaccines throughout the last Decade*.



VC19 VAX REACTIONS

c19vaxreactions.com

*Source: VAERS. Diagnoses for Covid-19 Vaccine from December 10, 2020 to August 8, 2021. Diagnoses for All Other Vaccines from January 2011 to August 8, 2021. Current Neurology and Neuroscience Reports https://doi.org/10.1007/s11910-022-01247-x

NEUROLOGY OF SYSTEMIC DISEASES (J. BILLER, SECTION EDITOR)



COURAGEOUS

DISCOURSE

Neurological Complications Following COVID-19 Vaccination

Aparajita Chatterjee¹ · Ambar Chakravarty²

Accepted: 16 November 2022

© The Author(s), under exclusive licence to Springer Science+Business Media, LLC, part of Springer Nature 2022

COVID-19 Vaccine related adverse events:

Central nervous system

- Headache
- Vascular: CSVT, ischemic strokes, intracranial and subarachnoid hemorrhage
- Encephalopathy
- Encephalitis
- Seizures
- Acute disseminated
 encephalomyelitis (ADEM)
- Cranial nerve palsies
- Transverse myelitis (TM)
- Optic neuritis
- Olfactory dysfunction
- Neuroleptic malignant syndrome (NMS)
- Functional neurological disorders
- Relapse/exacerbation of prior
 neurological illness

- Peripheral nervous system
- Guillain-Barré Syndrome (GBS)
- Bell's palsy
- Myositis
- Rhabdomyolysis
- Parsonage-Turner syndrome
- Herpes zoster
- Cochleopathy
- Ocular manifestations
- Sensory neuropathy
- Relapse/exacerbation of prior
 neurological illness









EudraVigilance - European database of suspected adverse drug reaction reports

The European Medicines Agency publishes these data so that its stakeholders, including the general public, can access information that European regulatory authorities use to review the safety of a medicine or active substance. **Transparency** is a key guiding principle of the Agency.

COVID-19 Vaccine Adverse Drug Reactions 50,663 DEAD

5,315,063 Injuries Through Ferbruary 25, 2023 MRNA VACCINE PFIZER-BIONTECH (TOZINAMERAN) MRNA VACCINE PFIZER-BIONTECH OMICRON BA.1 MRNA VACCINE PFIZER-BIONTECH OMICRON BA.4-5 MRNA VACCINE MODERNA (ELASOMERAN) MRNA VACCINE MODERNA OMICRON BA.1 MRNA VACCINE MODERNA OMICRON BA.4-5 VACCINE ASTRAZENECA (CHADOX1 NCOV-19) VACCINE JANSSEN (AD26.COV2.S) VACCINE NOVAVAX (NVX-COV2373) VACCINE NOVAVAX (NVX-COV2373) VACCINE VALNEVA





Covid-19 Vaccines vs. Influenza Vaccines

2020 Through 2022

COVID-19 "Vaccines"	Influenza Vaccines		
931,341,585 Doses	527,610,000 Doses		
32,828 Deaths	231 Deaths		
1 death per 28,370 shots	1 death per 2,284,026 shots		
Side Effects: 1,481,226	Side Effects: 25,217		
1 Side Effect per 629 shots	1 Side Effect per 20,923 shots		

Source: VAERS

Deaths Per Million Doses (US Only) Traditional Vaccines (2006 - 2019), Covid-19 Vaccines (2020-Present) Data Obtained from CDC's VAERS and NVICP data & statistics report



Doses (Millions)



Reports – Expected vs. Observed

Preliminary myocarditis/pericarditis reports to VAERS following dose 2 mRNA vaccination, Exp. vs. Obs. using 7-day risk window (data thru Jun 11, 2021)

	Females			Males		
Age groups	Doses admin	Expected ^{*,†}	Observed*	Doses admin	Expected ^{*,†}	Observed*
12–17 yrs	2,189,726	0–2	19	2,039,871	0–4	128
18–24 yrs	5,237,262	1–6	23	4,337,287	1–8	219
25–29 yrs	4,151,975	0–5	7	3,625,574	1–7	59
30–39 yrs	9,356,296	2–18	11	8,311,301	2–16	61
40–49 yrs	9,927,773	2–19	18	8,577,766	2–16	34
50–64 yrs	18,696,450	4–36	18	16,255,927	3–31	18
65+ yrs	21,708,975	4–42	10	18,041,547	3–35	11
Not reported	-	_	1	_	—	8



* Assumes a 7-day post-vaccination observation window (i.e., symptom onset from day of vaccination through Day 6 after vaccination)

⁺ Based on Gubernot et al. U.S. Population-Based background incidence rates of medical conditions for use in safety assessment of COVID-19 vaccines. Vaccine. 2021 May 14:S0264-410X(21)00578-8. Expected counts among females 12–29 years adjusted for lower prevalence relative to males by factor of 1.7 (Fairweather, D. et al, *Curr Probl Cardiol*. 2013;38(1):7-46).

28

Myocarditis Cases By Age and Dose in VAERS







COVID-19 Deaths Before and After Mass Vaccination Program, Israel



COVID-19 Deaths Before and After Mass Vaccination Program, United Kingdom



COVID-19 Cases per Week by Vaccination Status, Scotland



56

COVID-19 Hospitalizations per Week by Vaccination Status, Scotland



57



Defining "Vaccinated"

Who is vaccinated?

- 2 shots of mRNA (Pfizer, Moderna)
- 1 shot of Johnson & Johnson
- 1 or 2 shots + 2 weeks or more [fully vaccinated]
- Resulting in Limited Immunity
- Who is unvaccinated?
 - No shots and no Covid infection
 - 1 or 2 shots + less than 2 weeks
 - No shots and recovered from Covid infection, resulting in <u>Natural Immunity</u>

medRxiv preprint doi: https://doi.org/10.1101/2022.12.17.22283625; this version posted December 19, 2022. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.

It is made available under a CC-BY-NC-ND 4.0 International license .



Figure 2. Simon-Makuch plot comparing the cumulative incidence of COVID-19 for subjects stratified by



Australia – More Vaccines More Sick

Doses summary Doses Due dose Due dose Divo doses Divide doses









Home > Adverse Effects

Heart Attacks Have Increased by 83% the Alarming Implications of the Leaked New Zealand Health Data

ADVERSE EFFECTS

By Guy Hatchard | April 23, 2023 | 💿 4227 | 🗩 0

AN 83% INCREASE IN HOSPITALISATIONS FOR HEART ATTACKS SHOULD BE A STATISTICAL IMPOSSIBILITY



April 2018 to 2019 March 31 April 2019 to 2020 March 31 April 2020 to 2021 March 31 April 2021 to 2022 March 31



Children Mortality Rates By Vaccination



62



4. Pregnancies, Miscarriages, Still Births

- Pfizer and medicine regulators hid the dangers of vaccination during pregnancies
 - Studies showed increased risk of birth defects and infertility
 - No clinical trials performed beforehand
- Miscarriages and stillbirths
 - VAERS reports show 4,070% increase in miscarriages and birth rates from past years
- Menstrual cycles and hemorrhages
- Drop in live births
 - Birth rates down: 12% in Germany, 11% in Netherlands, 27% in Taiwan
- % of pregnant women vaccinated
- Maternal mortality rates

Known Outcomes of Pregnancies Exposed to Pfizer Covid-19 Prior to February 2021 Known outcomes of Pregnancies exposed to Pfizer Covid-19 injection prior to February 2021 Source: Confidental Pfizer Document 'reissue_5.3.6 postmarketing experience.pdf'. 25 23 20 15 10



Miscarriages, Stillbirths, Menstrual Cycles

Miscarriages by Report Received Source: OpenVAERS.com Source: Open

Reports of Miscarriage Post Covid Vaccine



Reports of Miscarriage / Stillbirth by Year**



Reports of Menstrual / Haemorrhages by Year





Reports of Miscarriage/Stillbirth by Year

Reports of Miscarriage / Stillbirth by Year**





Reports of Menstrual/Hemorrhages by Year

Reports of Menstrual / Haemorrhages by Year





Covid Vaccination & Monthly Live Births

Covid Vaccination and Monthly Live Births in Germany (2016-2022)







Figure 1: Percent of Pregnant People Ages 18–49 Years Who Completed the Primary Series of COVID-19 Vaccine Before and During Pregnancy, by Timing of Vaccination and Week Ending Date — Vaccine Safety Datalink,* United States December 14, 2020 – December 11, 2021

	[Figure 1	Figure 2	Figure 3	Week Ending Date ①
					12/19/2020 12/13/2021
) 1	100				
	80				
	60				
	40				
	20				
)	19202 202 202 202 202 202 202 202 202 202	2823,2822,2822,2822,2822,2822,2822,2822	21262 1251 2012 2012 1251 2012 1251 2012 1251 1251	224 2021 2022 2022 2022 2022 2022 2022 2	2021 2021 2022 2022 2022 2022 2022 2022
			Week Ending Date		
		Before Pregnancy	Before and During Pregnancy During Pregnancy	gnancy	

Vaccination Coverage (%)

Maternal Mortality Rates in the United States, 2021

by Donna L. Hoyert, Ph.D., Division of Vital Statistics

This report presents maternal mortality rates for 2021 based on data from the National Vital Statistics System. A maternal death is defined by the World Health Organization as "the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management, but not from accidental or incidental causes (1)." Maternal mortality rates, which are the number of maternal deaths per 100,000 live births, are shown in this report by age group and race and Hispanic origin.









5. Sudden Adult Death Syndrome (SADS)

- Thousands dying suddenly and unexpectedly
 - SADS occurring more frequently in working age groups
 - More children dying suddenly and unexpectedly
 - "It's through the roof", Dr. Peter McCullough
- Athletes collapsing, dying
 - 769 athletes collapsed in 2022 during competition
 - Athlete deaths higher than expected, up 1700%
- Young practicing Canadian doctors dying suddenly
 - More than 130 documented since vaccine rollout
 - Canadian doctors dying of rapid cancers
- Airline pilots suffering cardiac arrests, dying
 - FAA EKG tests made less stringent
 - Long term disability claims
 - Southwest pilot death rate 6 times normal


 \sim



Watch: 1,000 Athletes Collapsing

Posted by | 💾 Wed, Jun 22, 2022 | 🕓 00:00 AM

🖻 🕣 🛈 💿 💙 🦪 🕓 😂 😁 🖨

Compilation of 1,000 athletes and sports-related incidences from March 2021 to 16 June 2022







80 DEAD Doctors in Canada Following Mandatory COVID Vaccines





6. Excess Death Phenomenon

- Data analysis by Edward Dowd, financial analyst
- Age group, 25 to 44, experienced up to 84% increase in excess mortality
- Excess death rates from all causes
- Excess death rates in 2022 US, Australia, New Zealand
- Excess mortality, age group comparison
- Mortality increases with high vaccination rate
- Increased life insurance claims in US, UK, Germany
- US life insurance company death claims up 40+% in working age group
- Life insurance companies note increased early deaths



Exhibit 4 | Millenials Suffered Rapid and Record Rate of Excess Deaths in Fall '21



78





US

All-Cause

Excess

Mortality

25-44 Years

Number of Deaths	Excess (%)		Excess (Z-Score)		Excess (Absolute)	
Excess (Ranking)	Maps	Histo	orical	COVID-19	Social	About

These charts shows the weekly proportion of excess mortality for USA and its states over time.



©2022 @USMortality, All rights reserved. | European Data: EuroMOMO, Worldwide Data: Mortality.org | No medical advice & guarantee for correctness. Please always refer to: CDC & WHO



Excess Deaths From All Causes







Excess Deaths in Australia

Yearly excess mortality, from 2020 to 2022, for different age groups.

Country: Australia

Choose a Method for computing mortality: Method 2C (Trend adj death rate) ✓

Excess Deaths for Country: Australia

Method: 2C



Excess Deaths & Vaccine Rollout in NZ

B) Cumulative Excess Deaths and COVID-19 Vaccine Rollout: April 2021 to March 2022







Excess Mortality. Age-group comparison.

The following chart shows the analysis of excess mortality for 2020, 2021 and 2022, for different age groups. The user can specify the method for estimating excess mortality.

Please be aware that for the US, the vaccination age groups do not match perfectly the excess deaths age groups as mentioned before. We matched the age groups as described in the data section above.

Yearly excess mortality, from 2020 to 2022, for different age groups.

Country: USA

Choose a Method for computing mortality: Method 2C (Trend adj death rate)



Excess Deaths for Country: USA



Top Insurance Analyst US High Vax \rightarrow High Mortality

High vax regions are showing ~15% higher 2022 mortality than 2021

Segmenting U.S. by state/metro shows vax doses

Correlate with increases to mortality from 2021 to 2022

Regression implies ~14% adverse impact from the vax



At 7% per dose taking all CDC doses recommended = +28 to 35% mortality

Confidential

25

Steve Kirsch

Josh Stirlin

Ed Do





UK Data – Vaccinated → Higher Mortality

U.K. gov't data shows that their vaccinated now suffer higher mortality







----Excess Deaths UK 2019-2023





222,347

Tweet



0



UK Cumulative Excess Deaths 2019-2023 Lockdowns killed. Vaccinations finished it After a normal increase in excess deaths during the 2019-2020 flu season, excess deaths started to drop by over 5,000 until the first lockdown.

The first UK lockdown increased excess deaths by nearly 60K people.

Children were allowed back to school and excess deaths

말 @ 순 ☆ 🔲 单

- Tweet

Q Search

people.

Children were allowed back to school and excess deaths stopped until the Rule of 6 was introduced. This increased excess deaths by another 16K prior to the vaccine rollout. Excess deaths then continue to climb throughout 2021 (other than the typical seasonal drop at the end of the normal flu season for 2020/2021).

a 🔽 🖸 🗖 🐨 💿

After this, the vaccine rollout encompassed most of the country. Excess deaths jumped another 32K in the next 6 months. There was a slight seasonal drop in excess deaths after the vaccine push diminished during the end of the 2021/2022 flu season (10K).



10

[0]

말 @ 요 ☆ 🛛 🛎

Tweet

stopped until the Rule of 6 was introduced. This increased excess deaths by another 16K prior to the vaccine rollout. Excess deaths then continue to climb throughout 2021 (other than the typical seasonal drop at the end of the normal flu season for 2020/2021).

After this, the vaccine rollout encompassed most of the country. Excess deaths jumped another 32K in the next 6 months. There was a slight seasonal drop in excess deaths after the vaccine push diminished during the end of the 2021/2022 flu season (10K).

Since then, there has been a significant rise in excess deaths with NO seasonal fluctuations and another 80K excess





Analysis of German Data by Lausen

R96.0 R96.1 R98 R99







Sources accessed 9th December 2022

https://www.rivm.nl/covid-19-vaccinatie/cijfers-vaccinatieprogramma https://www.cbs.nl/nl-nl/visualisaties/dashboard-bevolking/bevolkingspiramide

https://www.cbs.nl/nl-nl/visualisaties/welvaart-in-coronatijd/gezondheid/

Excess mortality: Cumulative deaths from all causes compared to projection based on previous years



The percentage difference between the cumulative number of deaths since 1 January 2020 and the cumulative projected deaths for the same period based on previous years. The reported number might not count all deaths that occurred due to incomplete coverage and delays in reporting.



95



7. US Economic Impacts - 2022

- Employee absence and lost worktime rates
- Absence rate was "11 sigma" above trend
- Worktime lost rate "13 sigma" from trend
- Worktime lost rates, deviation from 2002-19 base
- % of workforce with disability, ages 16-64
- Injuries, disabilities, deaths
- Increase in disabilities vs. vaccination rate
- Vaccines are causing death, disabilities & injuries due to a degradation of individuals' immune system
 - Total "Economic Cost" for 2022: \$147.8B





Total Absence Rates, 25-54 year-olds, % change from 2019 value

This section analyses the changes in the absence rates from its 2019 value. We compute the changes (in percentage) in absence rates for 2020, 2021 and 2022, relative to 2019. This method of computing changes in absence rates has an advantage of being simpler to unserstand and interpret than the deviation from the 2002-2019 trend that was discussed in the previous section. As absence rates has an almost monothonically declining trend from 2002 to 2019, taking 2019 as a reference level will likely underestimate the actual increases in absence rates that we observed in the previous section.

Total (Men + Women) Absence Rates in 2020,2021 and 2022, % change from 2019 values.



- Absence rates grew in each consecutive year since 2019.
- In 2022 absence rates were 28.6% higher than in 2019, an extraordinary change which represents a large economic loss of productivity.



— —



Increase in disabilities in Civilian Labor Force (16-64) vs vaccine doses





Population with a Disability, %



Civilian Labor Force with a Disability, %



_01

Civilian Labor Force (16-64) with a Disability, %





Employed (16-64) With a Disability, %



.03



Lost Worktime Rate, Relative Deviation From 2002-19 Trend, 25 to 54 years





BLS Employed, aged 16-64, 2022: 148M



Mild/Moderate Outcome

Severe Outcome

Extreme Outcome



Total "Economic Cost" for 2022: \$147.8B

Total "economic cost" for 2022: \$147.8 Bn

The figure below summarises our findings.



Severe Outcome

Extreme Outcome





Edward Dowd @DowdEdward



Estimated 2022 US Vaccine Damage Report:

Estimated Human Cost: 26.6 million Injuries 1.36 million Disabilities 300k excess deaths

Estimated Economic Cost: Total: \$147.8 Billion Injuries: \$89.9 billion Disabilities: \$52.2 billion Excess Deaths: \$5.6 Billion

Thread

Edward Dowd O

Pfizer & Moderna in 2022 had combined C-19 vaccine revenues in US of \$11.5 billion so...

For every \$1 dollar they made it cost the US economy \$13 dollars.

Quite the negative societal ROI.

Largest crime scene in history. Multiply this across the globe.

Numbers conservative

Phinance Technologies.com

-


8. Concerns About Covid-19 Vaccines

- Myocarditis heart damage
- Spike protein travels to major organs
- Heart, brain, blood clot damage
- Autopsy findings in Germany study
- Vaccine components and contaminants
- Quality of the mRNA vaccines with time
- Purity of the vaccine, variation in lots
- Each dose reduces natural immunity
- Return of cancers that were in remission
- Calls for halt to Covid vaccines



"Nobody said you wouldn't get COVID if you're vaccinated!"

@TheFreeThoughtProject

Dr. Anthony Fauci (NIAID Director)



"When people are vaccinated they're not going to get infected."

Rachel Maddow (MSNBC News)



"Now we know the vaccines work well enough that the virus stops."

President Joe Biden (POTUS)



"You're not going to get COVID if you have these vaccinations."



"Everyone who takes the vaccine is reducing their transmission."

Rochelle Walensky, MD (CDC Director)

Oh, really?



"Vaccinated people do not carry the virus and don't get sick."

Albert Bourla (Pfizer CEO)



"There is no variant that escapes the protection of our vaccines."

Myocarditis Heart Damage by Covid Vaccines

20

 $\dot{\mathbf{O}}$

C

<u>v</u>





Myocarditis Risk After Covid Vaccine 133x Above Background Risk

Maybe This Wash't The Best Idea

Vaccine mRRA & Plenty of Spike Protein in Germinal Centers at day 60





March 23rd, 2022

EPISODE 48

Myocarditis Risk After Covid Vaccine 133x Above Background Risk-



Blood Phenomenon of The Vaccinated







Spike

Protein

Distribution

Spike Protein Distribution





Total Number of Pfizer Adverse Events by System Organ Classes and Seriousness

Figure 1. Total Number of BNT162b2 AEs by System Organ Classes and Event Seriousness





Autopsy Findings in German Study

Supplementary Table 1: autopsy findings for the cases 6 - 35

case	age	sex	pre-existing diseases	cause of death		
6	73	male	ischemic cardiomyopathy	arrhythmogenic cardiac failure		
7	56	male	ischemic cardiomyopathy	arrhythmogenic cardiac failure		
8	64	male	METS, CAD	COVID-pneumonia		
9	78	female	AH, COPD,	cardiac failure		
10	70	male	AH, CAD, organising pneumonia	<mark>cardiac failure,</mark> pneumonia, pulmonary embolism		
11	61	female	CAD	stroke		
12	31	male	AH, astma, cardiac hypertrophy	cardiac failure		
13	75	male	AH, CAD, COPD, prostate cancer	myocardial infarction		
14	59	male	AH, CAD, ischemic cardiomyopathy	cardiac failure		
15	77	male	AH, CAD, DM2, COPD, metastatic colon cancer	respiratory failure		
16	63	male	DM2, AH, CAD, parkinsons disease	bronchopneumonia		
17	84	male	AH, DM2	paralytic ileus		
18	38	male	no relevant preexisting disease, vaccination with ChAdOx1 nCov-19	vaccine-induced thrombotic thrombocytopenia		
19	49	female	not applicable	myocardial infarction		
20	68	male	DM2, AH, hypothyreosis	cerebral mass hemorrhage		
21	75	female	artrial fibrillation, CKD	ruptured aortic aneurysm		
22	23	female	no relevant preexisting disease	pulmonary embolism		
23	63	female	not applicable	right heart failure, deep vein thrombosis		
24	70	male	not applicable	myocardial infarction		
25	30	female	drug abuse	intoxication		
26	39	male	not applicable	cardiac tamponade		
27	57	female	AH, CAD, ischemic cardiomyopathy	arrhythmogenic cardiac failure		
28	21	male	drug abuse	intoxication		
29	69	male	CAD	myocardial infarction		
30	21	male	astma, cardiac hypertrophy	cardiac failure		
31	30	male	drug abuse	bronchopneumonia		
32	55	male	no relevant preexisting disease	chronic cardiomyopathy		
33	26	male	drug abuse	intoxication		
34	31	female	not applicable	ruptured aneurysm of carotid artery		
35	63	male	DM2, gout	myocardial infarction		

Abbreviations: AH, arterial hypertension; CAD, coronary artery disease; COPD, chronic obstructive pulmonary disease; DM2, diabetes mellitus type 2.

Comparison of Influenza and Covid Adverse Reports of Myocarditis

Comparison of Influenza and COVID adverse event reports of myocarditis, lower chamber heart problems (LCHP), LCHP with myocarditis (myp) and LCHP with myo including scarring markers (scar)



117



Case/Hospitalization/Death Rate per 100,000 By Vaccination Status - Canada



118

More Likely To Suffer Serious Adverse Event From mRNA Jab Than Hospitalized From Covid

Serious adverse events of special interest following mRNA vaccination in randomized trials

> Joseph Fraiman, MD¹ Juan Erviti, PharmD, PhD³ Mark Jones, PhD³ Sander Greenland, MA, MS, DrPH, C Stat⁴ Patrick Whelan, MD PhD³ Robert M, Kaplan, PhD⁴ Peter Doshi, PhD⁷

Affiliations

¹ Louisiana State University, Lallie Kemp Regional Medical Center, Independence, LA ² Unit of Innovation and Organization. Navarre Health Service, Spain ³ Institute of Evidence-Based Healthcare, Bond University, Gold Coast, QLD. Australia ⁴ Fielding School of Public Health, University of California, Los Angeles ⁸ University of California, Los Angeles ⁹ School of Medicine, Stanford University ⁷ University of Maryland School of Pharmacy, Baltimore, MD

Correspondence to: Peter Doshi, 220 N Arch Street, Baltimore, MD, 21201 pdoshi@rx.umaryland.edu

ABSTRACT

Introduction. In 2020, prior to COVID-19 vaccine rollout, the Coalition for Epidemic Preparedness Innovations and Brighton Collaboration created a priority list, endorsed by the World Health Organization, of potential adverse events relevant to COVID-19 vaccines. We leveraged the Brighton Collaboration list to evaluate serious adverse events of special interest observed in phase III randomized trials of mRNA COVID-19 vaccines.

Methods. Secondary analysis of serious adverse events reported in the placebo-controlled, phase III randomized clinical trials of Pfizer and Moderna mRNA COVID-19 vaccines (NCT04368728 and NCT04470427), focusing analysis on potential adverse events of special interest identified by the Brighton Collaboration.

Results. Pfizer and Moderna mRNA COVID-19 vaccines were associated with an increased risk of serious adverse events of special interest, with an absolute risk increase of 10.1 and 15.1 per 10.000 vaccinated over placebo baselines of 17.6 and 42.2 (95% CI -0.4 to 20.6 and -3.6 to 33.8), respectively. Combined, the mRNA vaccines were associated with an absolute risk increase of serious adverse events of special interest of 12.5 per 10.000 (95% CI 2.1 to 22.9). The excess risk of serious adverse events of special interest surpassed the risk reduction for COVID-19 hospitalization relative to the placebo group in both Pfizer and Moderna trials (2.3 and 6.4 per 10.000 participants, respectively).

Discussion. The excess risk of serious adverse events found in our study points to the need for formal harm-benefit analyses, particularly those that are stratified according to risk of serious COVID-19 outcomes such as hospitalization or death.

Funding. This study had no funding support.



UK Data – Dr. Aseem Malhotra

Key facts on vaccine based on highest quality data and best available evidence

- No protection from infection now
- Initial protection from ancestral more lethal variant in 1 in 119?
- No reduction in Covid mortality/all cause mortality from RCT
- RCT's that led to approval of the mRNA product suggesting more serious harm from vaccine (1 in 800) than from covid hospitalisations of more lethal ancestral/Wuhan strain.
- Natural immunity is very protective and almost 3 times more likely to suffer side effects if vaccinated post covid-19 infection.
- Best case scenario for protecting those over 80 from a covid death from Delta variant is 1 in 230. Omicron 1 in 7300.
- In those under 50 NNT is 1 in 10,000 to prevent a covid death
- Unprecedented harms reported by yellow card scheme.
- Rate of harm requiring hospitalisation from real world data is close to 1 in 1000 within a couple of months of mRNA jab (likely a significant underestimate of real serious harms)



Dr. Aseem Malhotra – UK Cardiologist



We have a complete healthcare system failure & an epidemic of misinformed doctors & misinformed patients. Corporate greed and systematic political failure to protect the public from the excesses & manipulations of the pharmaceutical industry has brought the #NHS to its knees



Declarations by Doctors & Scientists

• Great Barrington Declaration - October 2020

- Great concerns about the damaging physical and mental health impacts of Covid-19 policy
- Recommend an approach of focused protection (age-specific)
- 860,000+ signatories by health workers and concerned citizens in 12 months, now more than 935,000 signatories

Rome Declaration - September 2021

- Alert citizens about deadly consequences of Covid-19 policy
- Physicians loyal to the Hippocratic Oath
- Physicians free to practice the art and science of medicine without retribution and censorship
- 12,000+ medical signatories (includes Dr. Robert Malone) in just a few months

Call For Halt To Covid Vaccines

- Dr. Peter McCullough, US cardiologist March 2021
- Dr. Geert Vanden Bossche, virologist March 2021
- Dr. Robert Malone, US virologist May 2021
- World Council For Health June 2021
- Global Covid Summit (17K doctors & scientists) October 2021
- 400 doctors and scientists in India September 2022
- Dr. Aseem Malhotra, UK cardiologist October 2022
- UK MP November 2022
- Australian cardiologist December 2022
- Australian MP December 2022
- John Campbell, UK nurse (180 degree turn) December 2022
- Drew Comments, journalist (180 degree turn) December 2022
- Many more doctors and scientists since the middle of 2021





COVID-19 VACCINE ADVERSE EVENTS

WCH Covid-19 Vaccine Pharmacovigilance Report

AROUND THE WORLD

Summary

Prepared by: Adele Paul Approved by: WCH Health and Humanities Committee June 2022

For the full report visit: worldcouncilforhealth.org/resources/covid-19-vaccine-pharmacovigilance-report

How many adverse events is too many?

Precedent for drug and vaccine recall

Summary:

The 1976 mass vaccination campaign was halted after a series of adverse event reports including <u>53 deaths</u>. The polio vaccine was recalled in less than 1 year after <u>10 reported deaths</u>. The Covid-19 vaccine, with over <u>28,000 associated reports of death</u> on VAERS alone, has not been recalled.

There is sufficient evidence to indicate a recall of Covid-19 vaccines

World Council

OURAGEOU DISCOURSE

Reported Deaths for Major Drug/Vaccine Recalls

(Data Obtained from VAERS and FAERS)



Table 2: Other Vaccine Adverse Event Data on VigiAccess

Vaccine	Total Number of Adverse Event Reports on VigiAccess as of May 2022	Percentage of 1 year olds who have been immunized globally	Data Collected Since	
Tuberculosis Vaccine	37335	88%	1968	
Polio Vaccine	123732	86%	1968	
Diphtheria Vaccine	1914	85%	1979	
Tetanus Vaccine	15381	85%	1968	
Pertussis Vaccine	2259	85%	1972	
Hepatitis B Vaccine	106761	85%	1984	
H. Influenza B Vaccine	90044	72%	1986	
Measles Vaccine	6231	71%	1968	
Rubella Vaccine	2640	71%	1971	
Covid-19 Vaccine	3777652	65.7%***	2020	
*** Percentage of cur	rent world population ***		and the second	

** Percentage of current world population ***



9. Early Treatment With Therapeutics

- Early treatment results
 - Africa, India, Japan, Slovakia
- C19hcq.org Hydroxychloroquine for Covid-19 studies
 - C19hcq.org/meta.html real-time meta analysis
- C19ivm.org Ivermectin for Covid-19 studies
 - C19ivm.org/meta.html real time meta analysis
 - C19early.org Covid-19 early treatment
 - Global adoption of Covid-19 early treatments
 - Early treatment efficacy of more than 50 therapeutics
 - Early treatment timelines
- Worldwide availability of HCQ
- Global adoption of Ivermectin



Country CFR by Hydroxychloroquine Usage











"Now is the Time to Use Ivermectin," Tokyo's Medical Assoc. Chairman Recommends Ivermectin to All Doctors to Treat Covid

Dr. Haruo Ozaki called for the drug, which is proving effective in numerous studies, to be used to combat Covid.



https://twitter.com/i/status/1429824858825715717 131

COVID-19 in Tokyo Japan



On August 13 <u>Tokyo Medical Association</u> announced that **Ivermectin** is amazingly effective at stopping COVID-19.

They recommend to ALL Doctors in Japan using Ivermectin to treat COVID.

Daily new confirmed COVID-19 cases per million people



Shown is the rolling 7-day average. The number of confirmed cases is lower than the number of actual cases; the main reason for that is limited testing.







IVERMECTIN PROPHYLAXIS

TRIALS SHOW THAT TAKING IVERMECTIN REGULARLY (ONCE A WEEK, ECT.) IS 91% EFFECTIVE AT PREVENTING CORONAVIRUS INFECTION. A BETTER PREVENTION RATE THAN THE COVID VACCINE.

- WHO takes pains to not mention the positive results of the trials -instead ONLY detailing the supposed "low quality" or "low certainty
 - "very few placebo controlled" trials? .. All were randomized, controlled.. in a pandemic
- They took pains to mention they have not looked at trials of ivermectin in prevention
 - Prevention trials data actually have the strongest evidence 7 controlled trials, 6 prospective, 3
 prospective randomized including over 2,400 patients
- NIH in January upgraded their recommendation to neutral after the FLCCC presentation
 - WHO.. Now downgrades the recommendation... using LESS evidence (16 trials?)
- Guideline Co-Chair is quoted "data available was sparse and likely based on chance"
 - Unitaid/WHO Ivermectin Research Team Lead, Dr. Andy Hill sais.. In January:
 - "The probability the findings of ivermectin on survival are due to chance ... is 1 in 5,000"



1:01:44 ()



Efficacy in COVID-19 studies (pooled effects) c19early.org Dec 2022

Quercetin	(0) • •		•	•
Ivermectin	• • • • • • • • • • • • • • • • • • •	a @.o. • • • • • • •	• • • • • • •	
REGEN-COV	· · · · ·		• • •	
PVP-I		•••••••••••••••••••••••••••••••••••••••	• •	-
Melatonin	••••••		• • • • • •	
Paxlovid	() () ()	• • • •	• • • •	•
Vitamin D	• • • • •			•••••
Fluvoxamine	•••	•	• • • •	• • •
Zinc	•• • •	••••••••••		••• •
Metformin	• 34.0 9			• • • • •
Sotrovimab	• •	• • •		• • •
HCQ	9 (°406159° O 95	HE CARS GREETE	1033607,003	£`\$\$}* •\$\$}* 2 * \$* *3:4.
Vitamin C	• • •	• . • • . :: • . •	5° ° ° ° © © ° ° •	° • • • •
Molnupiravir	• •• • *	• • • • •	• •	• • • •
Remdesivir	•	•••••••••	• • • • • • •	• *• ••
Aspirin	• • • •	. (° ·))° (° (°		(6) , , , , , , , , , , , , , , , , , , ,
Ibuprofen		•		• ••
Conv. Plasma	• • •	• ••		
Acetaminoph	en			
Cannabidiol		•		•
	0 0.25	0.5	0.75	1 1.25 1.5+
		Lower risk		Increased risk



All studies (pooled effects, all stages) c19early.org Dec 2022

	Impro	ovement Stu	Idies	Patients	Cost	Relative Risk
lota-carragee		L 3	1	394	\$1	
Proxalutamide	78%	[70-83%]	4	1,953	\$500	◆- limited data
Indomethacin	74%	[-20-94%]	4	605	\$5	
Quercetin	63%	[27-81%]	9	1,279	\$5	
Ivermectin	62%	[54-69%]	93	133,838	\$1	·•-
Bamlaniv/e	55%	[30-71%]	14	24,423	\$1,250	
Nigella Sativa	53%	[27-70%]	11	2,959	\$5	_
Casirivimab/i	53%	[33-66%]	26	54,453	\$2,100	- variant dependent
Diet	52%	[41-61%]	19	607,729	\$0	-•-
Povidone-lod	51%	[37-61%]	20	3,226	\$1	
Tixagev/c	50%	[30-64%]	8	26,460	\$855	
Bromhexine	50%	[-8-77%]	6	684	\$5	very limited data
Ensovibep	46%	[-173-89%]	2	885	\$2,100	limited data
Spironolactone	45%	[18-63%]	10	3,137	\$5	
Sunlight	45%	[19-62%]	4	19,635	\$0	_ • _
Bebtelovimab	44%	[-827-97%]	2	1,134	\$1,200	intravenous
Melatonin	43%	[30-54%]	18	14,301	\$1	
Exercise	41%	[34-47%]	50	1,773,101	\$0	· •
Vitamin A	40%	[-10-67%]	11	18,305	\$2	
Paxlovid	40%	[29-49%]	20	26,783	\$529	independent trial refused
Curcumin	39%	[31-46%]	21	4,804	\$5	
Colchicine	37%	[26-46%]	40	29,991	\$1	-•-
Vitamin D	36%	[30-42%]	101	181,970	\$1	 Image: A set of the set of the
Peg Lambda	35%	[-132-82%]	3	2,116	\$500	
Lactoferrin	34%	[-25-66%]	5	995	\$5	
Nitazoxanide	33%	[-22-63%]	13	3,606	\$4	
Antiandrogens	31%	[21-40%]	45	94,222	\$5	
Fluvoxamine	31%	[17-43%]	13	34,828	\$4	
Sleep	31%	[21-40%]	12	273,377	\$0	-•-
Budesonide	31%	[15-43%]	10	26,104	\$4	
Zinc	28%	[16-38%]	38	45,372	\$1	-•-
Ensitrelvir	27%	[-19-55%]	2	255	\$500	very limited data
Nitric Oxide	27%	[-11-52%]	9	1,484	\$11	_
Metformin	26%	[21-31%]	56	207,604	\$10	•
Sotrovimab	25%	[-38-60%]	13	18,902	\$2,100	
Hydroxychlor	25%	[21-29%]	374	496,030	\$1	•
Vitamin C	22%	[14-30%]	56	58,331	\$1	
Probiotics	22%	[12-31%]	20	17,944	\$5	
Favipiravir	21%	[9-31%]	56	25,756		-•-
N-acetylcys	20%	[9-30%]	17	24,853	\$1	-•-
Molnupiravir		[-5-39%]	25	69,837		
Famotidine		[5-25%]	25	/		-•-
Remdesivir		[6-23%]		133,239		intravenous
Aspirin		[6-17%]	62	172,519	\$1	•
Ibuprofen	-1%	[-10-8%]	12	54,527	\$1	-+-
Conv. Plasma	-10%	6 [-39-14%]	20	21,806	\$5,000	_
Acetaminoph	-27%	6 [-479%]	18	93,885	\$1	
Cannabidiol	450	[-167-21%]	6	3,784	\$25	

Favors treatment Favors control

100% • c19early.org Dec 2022 75% 50% Efficacy 25% %0 -25% mixed-effects meta-regression, most serious sufficiently powered outcome

Treatment delay (days since onset)

Early treatment is more effective



COVID-19 Treatment Studies for HCQ

HCQ FOR COVID-19 289 TRIALS, 4,688 SCIENTISTS, 412,106 PATIENTS 64% IMPROVEMENT IN 32 EARLY TREATMENT TRIALS RR 0.36 [0.29-0.46] 75% IMPROVEMENT IN 13 EARLY TREATMENT MORTALITY RESULTS RR 0.25 [0.16-0.40] 46% IMPROVEMENT IN 8 EARLY TREATMENT RCT RESULTS RR 0.54 [0.35-0.84] 20% IMPROVEMENT IN 195 LATE TREATMENT TRIALS RR 0.80 [0.76-0.86] 23% IMPROVEMENT IN 44 RANDOMIZED CONTROLLED TRIALS RR 0.77 [0.65-0.93] SUMMARY OF RESULTS REPORTED IN HCQ STUDIES FOR COVID-19. 09/20/21. HCQMETA.COM



World Wide Availability of HCQ (based upon law or common practice)



COVID-19 Treatment Studies for Ivermectin

Ivermectin for COVID-19 93 studies from 1,014 scientists 133,838 patients in 27 countries

Statistically significant improvement for **mortality**, **ventilation**, **ICU**, **hospitalization**, **recovery**, **cases**, and **viral clearance**.

83%, 62%, 43% improvement for prophylaxis, early, and late treatment CI [74-89%], [51-70%], [28-55%]

53% improvement in 43 RCTs CI [38-65%]51% lower mortality from 48 studies CI [37-62%]

COVID-19 IVERMECTIN STUDIES. DEC 2022. C19IVM.ORG



93 ivermectin COVID-19 controlled studies, 43 RCTs 62% improvement for early treatment, RR 0.38 [0.30-0.49]

Timeline of COVID-19 ivermectin studies



c19ivm.org Dec 2022


Ivermectin Adoption

COVID COVERED: 45% WORLD COVERED: 27% TOTAL COVERED: 2.1B MANY REGIONS: 1.6B SOME REGIONS: 720M MIXED USAGE: 618M COUNTRY-WIDE: 394M ISOLATED USE: 310M MINIMAL COVID-19: 3.1B

MINIMAL COVID-19





10. Conclusions

- Ending the "pandemic"
- What we do know today
- Vaccine mandates?
- The impact of mandates
- What have we learned?
- Medical bureaucracy malfeasance
- Some good news
- How should we respond as believers?
- Recent books on Covid-19
- Some Global Summary Information



Ending the Pandemic

- The success of using Ivermectin in Uttar Pradesh
 - https://twitter.com/i/status/1462858392297521159
 - State in India with 240M population Ivermectin package given to all
- Ivermectin write-up in American Journal of Therapeutics
 - Ivermectin for Prevention and Treatment of COVID-19 Infection: A Systematic Review, Meta-analysis, and Trial Sequential Analysis to Inform Clinical Guidelines. American Journal of Therapeutics, 28, e434-e460, July 2021
 - https://pubmed.ncbi.nlm.nih.gov/34469921/
- Fact check: Ivermectin is not a proven treatment for Covid-19
 - Article in USA Today on August 13, 2021
 - Makes claim that there was no double-blind randomized trial
 - USA Today claim is without merit
 - 20+ countries use Ivermectin
- Let doctors be doctors!



What We Do Know Today

- PCR tests don't work too many false positives
 - Testing of healthy people is not necessary
- Cloth masks don't work & result in pathogen disease
 - Asymptomatic transmission is rare
- Covid-19 vaccines do not prevent re-infection or transmission
- Natural immunity is better than vaccine immunity
 - Do not vaccinate those who have recovered from Covid infection
- No one under the age of 30 (especially children) in good health needs a Covid vaccine
- The more you vaccinate, the greater the infection rate



What We Do Know Today – 2

- Synthetic mRNA suppresses immune system, possibly leading to cancer, blood clot, fertility issues, spontaneous abortions Dr. Robert Malone
- Covid-19 vaccines are still experimental
 - No animal testing
 - No long term testing
- The number of vaccine deaths and injuries is unacceptable
 - More than 34K deaths & more than 1.5M injuries so far
 - VAERS numbers are 1% to 10% of the actual numbers
- No not quarantine healthy people
- Covid vaccines lose strength of immunity at 5% per week
- Negative vaccine efficacy example in the UK



Vaccine Mandates?

- Vaccine passports create division
- Violates the scientific evidence
 - Covid-19 vaccines neither safe nor effective
 - Vaccines do not prevent transmission or another infection
 - Natural immunity stronger than vaccine immunity
- Violates first amendment rights medical freedom
- Violates Doctors' Hippocratic Oath do no harm
- Violates Nuremburg Code informed consent
- Medical & religious exemptions support?
- Let doctors treat patients with best practices



The Impact of Vaccine Mandates

- Loss of jobs by unvaccinated
 - Medical and religious exemptions?
- Staff shortages of nurses and health care workers
- Crime increase police choose freedom from the shot
- Creation of two classes of citizens:
 - The vaccinated and the unvaccinated
- Destruction of small business, e.g. restaurants, stores
- Enrichment of the elite large monopolies such as Amazon, Walmart, Costco, Google, etc.
- Destruction of the economy
- Loss of medical and personal freedom



What Have We Learned?

- Pfizer committed massive fraud during trials
- Pfizer, FDA knew vaccines caused immunosuppressions
- CDC and FDA hide important data
- CDC did not proactively investigate VAERS
- DOD edited medical database to hide injuries
- Opinions contrary to the official narrative are censored
- Calls to withdraw Covid vaccines ignored
- Early treatment with therapeutics prohibited
- Vaccine mandates are illegal
- Masks, PCR tests, social distancing, etc. do not work 152



Medical Bureaucracy Malfeasance

- Covid-19 vaccines are <u>NOT</u> "safe and effective"
- FDA, CDC, NIH, NIAID, Big Pharma corrupt lied, covered up
- CDC now admits:
 - More than 140 million in the US now have natural immunity
 - They have zero record of naturally immune people transmitting virus
 - Natural immunity is better than vaccine immunity
 - It never monitored VAERS for Covid vaccine safety signals
- FDA and Pfizer knew COVID shot caused immunosuppression
- Immunization expert: 'Unvaccinated people are not dangerous; vaccinated people are dangerous for others' – AFLDS
- Remdesivir and ventilators resulted in many patient deaths
 - Enrichment of hospitals and doctor groups



Some Good News: very encouraging recent developments around vaccine tyranny

- Denmark ends all COVID restrictions, including the Vaccine Passport
- Sweden, Denmark, Finland halt vaccination for those younger than 30 [heart inflammation]
- Japan Health Minister advocates Ivermectin
- Province of Alberta ends all COVID restrictions, after failing to prove that COVID-19 has ever been isolated in human tissue
- Texas Supreme Court nullifies mask mandates in public schools
- FL Rep. Sabatini Files Bill to Ban Vaccine Mandates
- Croatia and Romania stop vaccine injections
- Norway, Singapore lift Covid restrictions
- UK drops vaccine passport ideas for the time being
- Switzerland stops use of all Pfizer vaccines



How Should We Respond As Believers?

- <u>Truth Changes Everything</u> Dr. Jeff Myers
- Learn to discern the truth Matt. 24:24; 1 Th. 5:21
- Choose freedom John 8:32; 1 Cor. 7:21
- Know what you stand for Heb. 11; John 15:14
- Expect persecution Matt. 5:10; John 15:20
- Love One Another Mark 3:25; John 13:34-35
- Do Not Fear Matt. 10:28; Ps. 118:6
- God is Sovereign & in Control 1 Tim. 6:15; Rom. 8:28
- Share the Good News John 3:16; John 14:6



Some Recent Books on COVID-19



156



More Recent Books on COVID-19





Governments have paid \$195 billion for covid vaccines which have caused 36 million deaths



Sources for Summary Information

- Covid is over, and in its wake are six million avoidable deaths, 36 million "vaccine" deaths, and \$1.8 trillion down the drain for useless masks and tests, Natural News, 17 May 2023
- Post-mortem on the C19 pandemic 6 million avoidable C19 deaths plus 36 million vaxx deaths (mostly in India from Oxford/AstraZeneca shots) = plus the odd 1.8 trillion bucks for useless masks, tests, Peter Halligan, 13 May 2023





Deaths/Week

Week

per

Deaths

 \mathcal{C}











Thanks For Your Attention

IMAGINE A VACCINE SO SAFE YOU HAVE TO BE THREATENED TO TAKE IT



Dr. Heinz Lycklama PhD in Nuclear Physics heinz@osta.com 425-501-5075

FOR A DISEASE SO DEADLY YOU HAVE TO BE TESTED TO KNOW YOU HAVE IT

Reference Articles HeinzLycklama.com/vaccines2





Of Issachar, men who had understanding of the times, to know what Israel ought to do, 200 chiefs, and all their kinsmen under their command.;--**1 Chronicles 12:32**